100TH GENERAL ASSEMBLY

State of Illinois

2017 and 2018

SB2458

Introduced 1/30/2018, by Sen. Ira I. Silverstein

SYNOPSIS AS INTRODUCED:

210 ILCS 115/9 210 ILCS 115/9.17 new from Ch. 111 1/2, par. 719

Amends the Mobile Home Park Act. Requires each mobile home park to contain a storm shelter with design plans, engineering calculations, diagrams, and other data prepared by an architect licensed under the Illinois Architecture Practice Act of 1989, a professional engineer licensed under the Professional Engineering Practice Act of 1989, or a structural engineer licensed under the Structural Engineering Practice Act of 1989. Provides that each shelter must meet specified standards. Provides that a multi-purpose facility that contains an area meeting the standards satisfies the storm shelter requirements.

LRB100 16700 MJP 31838 b

FISCAL NOTE ACT MAY APPLY

A BILL FOR

SB2458

1

AN ACT concerning regulation.

2 Be it enacted by the People of the State of Illinois, 3 represented in the General Assembly:

Section 5. The Mobile Home Park Act is amended by changing
Section 9 and by adding Section 9.17 as follows:

6 (210 ILCS 115/9) (from Ch. 111 1/2, par. 719)

Sec. 9. Each mobile home park licensed or to be constructed
under the provisions of this Act shall be operated and
maintained in accordance with the requirements of Sections 9.1
to <u>9.17</u> 9.16, inclusive, of this Act.

11 (Source: P.A. 98-540, eff. 1-1-14.)

12 (210 ILCS 115/9.17 new)

13 Sec. 9.17. Storm shelters required. Each mobile home park shall contain a storm shelter with design plans, engineering 14 15 calculations, diagrams, and other data prepared by an architect licensed under the Illinois Architecture Practice Act of 1989, 16 a professional engineer licensed under the Professional 17 18 Engineering Practice Act of 1989, or a structural engineer 19 licensed under the Structural Engineering Practice Act of 1989. 20 Each shelter must have: 21 (1) the ability to withstand wind speeds of 200 miles

22 per hour;

	SB2458 - 2 - LRB100 16700 MJP 31838 b
1	(2) 12 square feet of floor space per mobile home pad
2	in the park;
3	(3) a ceiling height of not less than 7 feet;
4	(4) 2 exits, including at least one exit that is
5	accessible by individuals with physical disabilities;
6	(5) underground electrical service;
7	(6) interior lighting and an emergency lighting system
8	supplied from storage batteries or an on-site generator;
9	and
10	(7) a location that is centrally located in relation to
11	all mobile homes in the park.
12	A multi-purpose facility that contains an area meeting the
13	standards in paragraphs (1) through (7) satisfies the
14	requirements of this Section.