

SJ0043 LRB100 12846 MST 26547 r

## SENATE JOINT RESOLUTION

1

20

| 2  | WHEREAS, Cystic fibrosis, commonly referred to as "CF", is      |
|----|---|
| 3  | a genetic disease affecting approximately 30,000 children and   |
| 4  | adults in the United States and nearly 70,000 children and      |
| 5  | adults worldwide, 1,047 of whom live in Illinois; and           |
| 6  |   |
| 6  | WHEREAS, A defective gene causes the body to produce an         |
| 7  | abnormally thick, sticky mucus that clogs the lungs; these      |
| 8  | secretions produce life-threatening lung infections and         |
| 9  | obstruct the pancreas, preventing digestive enzymes from        |
| 10 | reaching the intestines to help break down and absorb food; and |
| 11 | WHEREAS, More than 10 million Americans are symptomless         |
| 12 | carriers of the defective cystic fibrosis gene; cystic fibrosis |
| 13 | occurs in approximately one of every 3,500 live births in the   |
| 14 | United States; and  |
|    |   |
| 15 | WHEREAS, The median age of survival for a person with           |
| 16 | cystic fibrosis is 41.1 years; and                              |
|    |   |
| 17 | WHEREAS, With advances in the treatment of cystic fibrosis,     |
| 18 | the number of adults with cystic fibrosis has steadily grown,   |
| 19 | and approximately 1,000 new cases of cystic fibrosis are        |
|    |   |

diagnosed each year; and

- 1 WHEREAS, Nearly 50% of the cystic fibrosis population is 18
- 2 years of age and older; people with cystic fibrosis have a
- 3 variety of symptoms attributed to the more than 1,800 mutations
- 4 of the cystic fibrosis gene; and
- 5 WHEREAS, Infant blood screening to detect genetic defects
- 6 is the most reliable and least costly method to identify
- 7 persons likely to have cystic fibrosis; and
- 8 WHEREAS, Early diagnosis of cystic fibrosis permits early
- 9 treatment and enhances quality of life and longevity; the
- 10 treatment of cystic fibrosis depends on the stage of the
- 11 disease and the organs involved; and
- 12 WHEREAS, Clearing mucus from the lungs is an important part
- of the daily cystic fibrosis treatment regimen; other types of
- treatments include inhaled antibiotics and pancreatic enzymes,
- among others; and
- 16 WHEREAS, There are 15 world-class treatment centers in
- 17 Illinois that specialize in the diagnosis of cystic fibrosis
- and the care of persons with cystic fibrosis; and
- 19 WHEREAS, A critical component of treating patients with
- 20 cystic fibrosis includes access to innovative treatments,
- 21 which can play a crucial role in the lives of patients with

- 1 cystic fibrosis; and
- 2 WHEREAS, Improving the length and quality of life for
- 3 people with cystic fibrosis starts with awareness; therefore,
- 4 be it
- 5 RESOLVED, BY THE SENATE OF THE ONE HUNDREDTH GENERAL
- 6 ASSEMBLY OF THE STATE OF ILLINOIS, THE HOUSE OF REPRESENTATIVES
- 7 CONCURRING HEREIN, that we designate the month of May of 2017
- 8 as Cystic Fibrosis Awareness Month in the State of Illinois.