

104TH GENERAL ASSEMBLY State of Illinois 2025 and 2026 SB0263

Introduced 1/24/2025, by Sen. Robert Peters

SYNOPSIS AS INTRODUCED:

625 ILCS 5/12-201

from Ch. 95 1/2, par. 12-201

Amends the Illinois Vehicle Code. Provides that all motor vehicles with at least 2 lighted head lamps and manufactured after January 1, 2028 shall be equipped with adjustable driving beam systems which satisfy the United States Department of Transportation regulations. Effective January 1, 2026.

LRB104 06411 LNS 16447 b

1 AN ACT concerning transportation.

Be it enacted by the People of the State of Illinois, represented in the General Assembly:

- Section 5. The Illinois Vehicle Code is amended by changing Section 12-201 as follows:
- 6 (625 ILCS 5/12-201) (from Ch. 95 1/2, par. 12-201)
- 7 Sec. 12-201. When lighted lamps are required.
- (a) When operated upon any highway in this State, every 8 9 motorcycle shall at all times exhibit at least one lighted lamp, showing a white light visible for at least 500 feet in 10 the direction the motorcycle is proceeding. However, in lieu 11 of such lighted lamp, a motorcycle may be equipped with and use 12 13 a means of modulating the upper beam of the head lamp between 14 high and a lower brightness. No such head lamp shall be modulated, except to otherwise comply with this Code, during 15 16 times when lighted lamps are required for other motor 17 vehicles.
- 18 (b) All other motor vehicles shall exhibit at least 2
 19 lighted head lamps, with at least one on each side of the
 20 frontmost of the vehicle, which satisfy United States
 21 Department of Transportation requirements, as set forth in 49
 22 CFR 571.108, showing white lights, including that emitted by
 23 high intensity discharge (HID) lamps, or lights of a yellow or

amber tint, during the period from sunset to sunrise, at times when rain, snow, fog, or other atmospheric conditions require the use of windshield wipers, and at any other times when, due to insufficient light or unfavorable atmospheric conditions, persons and vehicles on the highway are not clearly discernible at a distance of 1000 feet. Parking lamps may be used in addition to but not in lieu of such head lamps. Every motor vehicle, trailer, or semi-trailer shall also exhibit at least 2 lighted lamps, commonly known as tail lamps, which shall be mounted on the left rearmost and right rearmost of the vehicle so as to throw a red light visible for at least 500 feet in the reverse direction, except that a truck tractor or road tractor manufactured before January 1, 1968 and all motorcycles need be equipped with only one such tail lamp.

- (c) Either a tail lamp or a separate lamp shall be so constructed and placed as to illuminate with a white light a rear registration plate when required and render it clearly legible from a distance of 50 feet to the rear. Any tail lamp or tail lamps, together with any separate lamp or lamps for illuminating a rear registration plate, shall be so wired as to be lighted whenever the head lamps or auxiliary driving lamps are lighted.
- (d) A person shall install only head lamps that satisfy United States Department of Transportation regulations, as set forth in 49 CFR 571.108, and show white light, including that emitted by HID lamps, or light of a yellow or amber tint for

- 1 use by a motor vehicle.
- 2 (e) (Blank).
- 3 (f) All motor vehicles with at least 2 lighted head lamps
- 4 and manufactured after January 1, 2028 shall be equipped with
- 5 adjustable driving beam systems which satisfy the United
- 6 States Department of Transportation regulations, as set forth
- 7 <u>in 49 CFR 571.108.</u>
- 8 (Source: P.A. 103-706, eff. 1-1-25.)
- 9 Section 99. Effective date. This Act takes effect January
- 10 1, 2026.