



Sen. Laura Fine

Filed: 3/9/2026

10400SB3917sam003

LRB104 19364 BDA 35354 a

1 AMENDMENT TO SENATE BILL 3917

2 AMENDMENT NO. _____. Amend Senate Bill 3917 by replacing
3 line 25 on page 4 through line 8 on page 5 with the following:

4 "and provisions of this Act. All NPDES Permits authorizing a
5 discharge from a facility designated by the Agency and the
6 USEPA as a major facility shall require, at a minimum, for
7 publicly owned treatment works, periodic sampling of influent,
8 effluent, and biosolids for all perfluoroalkyl and
9 polyfluoroalkyl substances for which there are accredited
10 wastewater analytical methods, and, for all other major
11 facilities, periodic effluent sampling for all perfluoroalkyl
12 and polyfluoroalkyl substances for which there are accredited
13 wastewater analytical methods."; and

14 on page 34, by replacing lines 14 through 23 with the
15 following:

16 "and provisions of this Act. All NPDES Permits authorizing a
17 discharge from a facility designated by the Agency and the

1 USEPA as a major facility shall require, at a minimum, for
2 publicly owned treatment works, periodic sampling of influent,
3 effluent, and biosolids for all perfluoroalkyl and
4 polyfluoroalkyl substances for which there are accredited
5 wastewater analytical methods, and, for all other major
6 facilities, periodic effluent sampling for all perfluoroalkyl
7 and polyfluoroalkyl substances for which there are accredited
8 wastewater analytical methods."