

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Baldwin County, AL	0.07	0.063	.	.	.	15	7.3	.	.	.
Clay County, AL	15	6.9	.	.	.
DeKalb County, AL	0.07	0.061	.	.	.	14	6.9	.	.	.
Elmore County, AL	0.07	0.058
Etowah County, AL	0.07	0.062	.	.	.	18	8.2	.	.	.
Jefferson County, AL	2.6	1	40	9	0.08	0.066	10	2	0	21	9	79	23	.
Madison County, AL	0.07	0.065	.	.	.	14	6.8	39	16	.
Mobile County, AL	0.07	0.061	11	3	1
Montgomery County, AL	0.07	0.06	.	.	.	18	7.8	24	11	.
Morgan County, AL	0.07	0.065	.	.	.	16	7.3	.	.	.
Pike County, AL	0.22
Russell County, AL	0.07	0.061	.	.	.	24	9.1	.	.	.
Shelby County, AL	0.07	0.064	50	11	1
Sumter County, AL	0.06	0.055	3	1	0	15	6.8	.	.	.
Tuscaloosa County, AL	0.08	0.06	.	.	.	17	7.6	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Anchorage Borough, AK	3.3	2.4	25	4.9	101	17	.
Denali Borough, AK	0.06	0.055
Fairbanks North Star Borough, AK	3.5	2.5	.	.	0.07	0.055	33	21	4	76	15.6	171	18	.
Juneau Borough, AK	23	5.3	38	8	.
Cochise County, AZ	0.07	0.065	124	26	.
Coconino County, AZ	0.07	0.066
Gila County, AZ	0.09	0.074	60	20	2	.	.	277	23	0.03
La Paz County, AZ	0.07	0.066	.	.	.	12	4	104	15	.
Maricopa County, AZ	2.8	2.1	61	26	0.1	0.081	5	1	0	67	11.1	223	62	.
Mohave County, AZ	111	21	.
Navajo County, AZ	0.07	0.065
Pima County, AZ	1.4	0.7	37	7	0.08	0.071	2	0	0	13	6.3	198	45	.
Pinal County, AZ	0.09	0.077	.	.	.	25	10.1	431	64	.
Santa Cruz County, AZ	28	9.6	104	35	.
Yavapai County, AZ	0.07	0.061

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Yuma County, AZ	0.08	0.068	.	.	.	23	8.3	234	43	.
Arkansas County, AR	17	7.8	.	.	.
Ashley County, AR	17	8.1	.	.	.
Clark County, AR	0.07	0.06
Crittenden County, AR	.	.	41	7	0.1	0.071	.	.	.	18	7.7	.	.	.
Garland County, AR	16	8.4	.	.	.
Newton County, AR	0.08	0.064
Polk County, AR	0.07	0.061	.	.	.	21	7.9	.	.	.
Pulaski County, AR	1.3	1.1	40	7	0.08	0.064	6	2	1	21	9.2	34	16	.
Washington County, AR	0.08	0.067	.	.	.	20	7.3	.	.	.
Alameda County, CA	2.2	1.7	43	13	0.1	0.068	5	1	0	24	9.4	.	.	.
Amador County, CA	0.09	0.064
Butte County, CA	1.4	1.2	26	5	0.08	0.067	.	.	.	27	7.7	61	19	.
Calaveras County, CA	0.08	0.061	.	.	.	17	6.1	38	11	.
Colusa County, CA	0.07	0.057	.	.	.	21	7.2	72	20	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Contra Costa County, CA	1.2	0.9	32	8	0.08	0.067	15	4	2	26	9.9	38	19	.
El Dorado County, CA	0.09	0.074	96	14	.
Fresno County, CA	2.6	2.1	53	20	0.1	0.081	.	.	.	43	14.8	172	49	.
Glenn County, CA	0.08	0.063	101	15	.
Humboldt County, CA	1.5	0.9	15	2	0.04	0.035	1	1	0	20	6.8	53	17	.
Imperial County, CA	4	3.1	49	10	0.1	0.075	6	2	0	37	11	765	59	.
Inyo County, CA	0.3	0.3	.	.	0.07	0.069	1	0	0	26	6.2	700	31	.
Kern County, CA	1.4	0.9	55	22	0.12	0.087	.	.	.	49	16.1	243	46	.
Kings County, CA	.	.	41	8	0.09	0.075	.	.	.	43	14.7	185	54	.
Lake County, CA	0.06	0.053	.	.	.	10	4.3	22	11	.
Los Angeles County, CA	3.4	2.7	76	25	0.12	0.095	4	1	0	33	12.1	92	35	0.04
Madera County, CA	.	.	28	6	0.09	0.078	.	.	.	32	10.4	131	35	.
Marin County, CA	1.3	0.8	33	7	0.07	0.053	.	.	.	20	6.9	28	13	.
Mariposa County, CA	0.09	0.079	144	23	.
Mendocino County, CA	0.06	0.05	.	.	.	26	11	50	16	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Merced County, CA	.	.	32	7	0.1	0.072	.	.	.	31	10.5	.	.	.
Mono County, CA	19	6.9	94	19	.
Monterey County, CA	6.6	1.3	.	3	0.07	0.054	.	.	.	16	6.8	62	23	.
Nevada County, CA	0.09	0.075
Orange County, CA	2.4	1.8	52	19	0.09	0.07	.	.	.	22	9.9	83	22	.
Placer County, CA	.	.	33	6	0.09	0.075	.	.	.	44	7.9	61	17	.
Riverside County, CA	1.6	1.2	48	13	0.12	0.095	3	1	1	27	12.5	376	45	0.01
Sacramento County, CA	1.6	1.5	44	8	0.09	0.065	.	.	.	37	10.2	57	19	.
San Benito County, CA	0.08	0.064	.	.	.	12	5	74	18	.
San Bernardino County, CA	1.7	1.3	67	29	0.14	0.105	2	1	0	28	12.2	275	38	0.01
San Diego County, CA	1.7	1.2	50	15	0.1	0.079	1	0	0	17	8.9	40	23	0.01
San Francisco County, CA	1.4	0.9	41	9	0.05	0.044	.	.	.	20	6.8	28	15	.
San Joaquin County, CA	2.5	1.7	39	8	0.09	0.067	.	.	.	35	10.2	93	29	.
San Luis Obispo County, CA	.	.	17	2	0.08	0.069	3	2	1	23	9.1	100	29	.
San Mateo County, CA	1.8	1	38	8	0.08	0.053	.	.	.	20	6.8	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Santa Barbara County, CA	0.9	0.7	20	3	0.07	0.06	2	2	1	16	8	53	21	.
Santa Clara County, CA	1.8	1.5	44	13	0.09	0.066	2	1	0	28	10.1	41	20	0.04
Santa Cruz County, CA	0.06	0.047	.	.	.	16	5.5	.	.	.
Shasta County, CA	0.08	0.071	.	.	.	21	5.8	.	.	.
Siskiyou County, CA	0.08	0.055	.	.	.	48	9.4	.	.	.
Solano County, CA	1.9	1.6	39	7	0.08	0.063	5	3	1	24	8.2	30	12	.
Sonoma County, CA	0.9	0.7	25	4	0.06	0.05	.	.	.	17	6.4	36	12	.
Stanislaus County, CA	1.8	1.4	38	9	0.1	0.077	.	.	.	36	13.4	79	31	.
Sutter County, CA	.	.	37	7	0.08	0.069	.	.	.	28	10.7	71	21	.
Tehama County, CA	0.08	0.07	.	.	.	19	5.8	40	15	.
Tulare County, CA	.	.	.	8	0.11	0.09	.	.	.	41	14.9	.	.	.
Tuolumne County, CA	0.07	0.061
Ventura County, CA	.	.	30	6	0.09	0.078	.	.	.	17	8.2	53	23	.
Yolo County, CA	.	.	.	4	0.08	0.068	.	.	.	29	8.3	54	20	.
Adams County, CO	1.6	1.1	.	17	0.09	0.075	.	.	.	23	9	89	36	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Arapahoe County, CO	0.09	0.073	.	.	.	11	5.1	.	.	.
Archuleta County, CO	.	.	15	2	0.07	0.061	12	12	2	.	.	241	25	.
Boulder County, CO	0.09	0.072	.	.	.	25	6.8	42	22	.
Denver County, CO	2.4	1.6	63	24	0.09	0.072	5	2	0	18	8.1	64	29	.
Douglas County, CO	0.1	0.078	.	.	.	18	5.3	.	.	.
El Paso County, CO	1.8	0.9	.	.	0.08	0.069	5	2	1	12	4.5	42	19	.
Fremont County, CO	106	18	.
Garfield County, CO	0.07	0.059
Gilpin County, CO	0.08	0.071
Gunnison County, CO	0.08	0.064
Jefferson County, CO	.	.	26	3	0.09	0.078
La Plata County, CO	1.3	0.3	18	4	0.08	0.067
Larimer County, CO	1.5	1.1	.	.	0.08	0.073	.	.	.	17	6.5	.	.	.
Mesa County, CO	0.07	0.062	.	.	.	15	5.2	72	19	.
Montezuma County, CO	0.07	0.064

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Pitkin County, CO	55	16	.
Prowers County, CO	270	26	.
Pueblo County, CO	16	6.4	180	24	.
Rio Blanco County, CO	.	.	14	1	0.08	0.062	.	.	.	14	7.4	.	.	.
Routt County, CO	45	15	.
San Miguel County, CO	52	17	.
Weld County, CO	1.2	0.7	47	8	0.08	0.073	.	.	.	22	6.8	.	.	.
Fairfield County, CT	.	.	39	8	0.11	0.081	3	1	0	20	7.6	37	14	.
Hartford County, CT	1.5	1	42	13	0.09	0.074	.	.	.	18	7.3	46	14	.
Litchfield County, CT	2.2	0.4	.	.	0.09	0.07	3	1	0	11	4.8	20	9	.
Middlesex County, CT	0.1	0.073
New Haven County, CT	1.5	1.2	44	12	0.1	0.076	2	1	0	19	7.7	50	19	.
New London County, CT	0.09	0.071	.	.	.	14	6.5	27	12	.
Tolland County, CT	0.08	0.068
Windham County, CT	0.08	0.064

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
New Castle County, DE	1.2	0.8
District of Columbia	2.1	1.8	46	14	0.09	0.066	3	2	1	17	8.3	36	14	.
Alachua County, FL	0.07	0.058	.	.	.	13	7.1	.	.	.
Baker County, FL	0.07	0.061
Bay County, FL	0.07	0.059
Brevard County, FL	0.07	0.061	.	.	.	16	7.4	67	17	.
Broward County, FL	1.7	1.1	43	13	0.08	0.06	2	1	0	17	9.4	97	20	.
Citrus County, FL	14	2	1
Collier County, FL	0.07	0.055
Columbia County, FL	0.07	0.062
Duval County, FL	1.4	1.1	42	10	0.08	0.064	11	3	1	19	8.8	66	21	.
Escambia County, FL	0.09	0.067	7	2	1	20	9.5	75	18	.
Flagler County, FL	0.07	0.06
Highlands County, FL	0.07	0.058
Hillsborough County, FL	1.1	0.7	34	9	0.09	0.067	71	22	2	16	8	53	24	0.12

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Holmes County, FL	0.07	0.058
Indian River County, FL	0.06	0.057
Lake County, FL	0.07	0.06
Lee County, FL	0.07	0.058
Leon County, FL	0.07	0.059	.	.	.	15	7.2	.	.	.
Liberty County, FL	0.07	0.058
Manatee County, FL	0.07	0.059	7	3	1
Marion County, FL	0.07	0.063
Martin County, FL	0.06	0.055
Miami-Dade County, FL	1.1	0.7	51	13	0.08	0.068	1	1	0	25	7.9	96	21	.
Nassau County, FL	41	7	1
Orange County, FL	1.1	0.9	.	.	0.08	0.066
Osceola County, FL	0.07	0.06
Palm Beach County, FL	0.07	0.058	.	.	.	16	7.3	104	19	.
Pasco County, FL	0.07	0.059

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Pinellas County, FL	1.2	0.8	28	8	0.08	0.06	7	2	1	13	7	47	20	.
Polk County, FL	0.07	0.062	.	.	1	15	7.9	.	.	.
Putnam County, FL	49	45	3
St. Lucie County, FL	0.07	0.056
Santa Rosa County, FL	0.07	0.066
Sarasota County, FL	0.07	0.064
Seminole County, FL	0.07	0.059	.	.	.	16	7.5	46	15	.
Volusia County, FL	0.07	0.059	.	.	.	17	8.4	54	19	.
Wakulla County, FL	0.5	0.4	.	.	0.07	0.057	3	1	1
Bibb County, GA	0.08	0.057	3	2	1	20	8.8	.	.	.
Chatham County, GA	0.08	0.058	50	21	1
Chattooga County, GA	0.07	0.061
Clarke County, GA	0.07	0.063	.	.	.	22	9.1	.	.	.
Clayton County, GA	17	8.1	.	.	.
Cobb County, GA	0.08	0.065	.	.	.	17	8	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Coffee County, GA	18	7	.	.	.
Columbia County, GA	0.07	0.057
Dawson County, GA	0.07	0.06
DeKalb County, GA	1.4	1.1	52	15	0.09	0.064	2	1	0	22	10.1	.	.	.
Dougherty County, GA	17	9.1	.	.	.
Douglas County, GA	0.07	0.064
Fulton County, GA	1.9	1.6	44	16	0.1	0.067	4	2	1	18	8.8	49	19	.
Glynn County, GA	0.06	0.056	.	.	.	21	9.3	.	.	.
Gwinnett County, GA	0.08	0.062	.	.	.	19	8.5	.	.	.
Hall County, GA	18	8.8	.	.	.
Henry County, GA	0.08	0.069
Houston County, GA	21	9.3	.	.	.
Lowndes County, GA	25	10	.	.	.
Murray County, GA	0.08	0.066
Muscogee County, GA	0.07	0.057	.	.	.	24	8.9	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Pike County, GA	0.07	0.061
Richmond County, GA	0.07	0.06	53	7	1	18	8.5	42	17	.
Rockdale County, GA	0.08	0.065
Sumter County, GA	0.07	0.059
Walker County, GA	23	11.2	.	.	.
Washington County, GA	29	11.3	.	.	.
Hawaii County, HI	229	50	8	10	5	.	.	.
Honolulu County, HI	5.9	0.8	.	.	0.07	0.044	63	13	1	8	3.7	45	16	.
Maui County, HI	8	4	.	.	.
Ada County, ID	1	0.7	48	10	0.09	0.071	2	1	0	24	7.5	.	.	.
Bannock County, ID	0.07	0.057	39	15	4	.	.	87	20	.
Benewah County, ID	37	9.7	.	.	.
Bonner County, ID	100	17	.
Butte County, ID	0.07	0.06
Canyon County, ID	37	10.5	107	28	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Caribou County, ID	40	10	2
Franklin County, ID	26	6	.	.	.
Idaho County, ID	0.06	0.056
Lemhi County, ID	72	12.9	.	.	.
Shoshone County, ID	32	10	102	14	.
Adams County, IL	0.06	0.056
Champaign County, IL	0.2	0.2	.	.	0.07	0.068	5	2	1	18	7.8	.	.	.
Clark County, IL	0.07	0.062
Cook County, IL	1.4	1	55	17	0.09	0.074	7	2	1	30	9.9	134	38	.
DuPage County, IL	0.08	0.068	.	.	.	21	9.3	.	.	.
Effingham County, IL	0.07	0.067
Hamilton County, IL	0.07	0.064	.	.	.	19	8.2	.	.	.
Jersey County, IL	0.09	0.072	.	.	.	20	8	.	.	.
Jo Daviess County, IL	0.07	0.059
Kane County, IL	0.08	0.07	.	.	.	26	9.7	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Lake County, IL	0.1	0.07
La Salle County, IL	5	3	0
McHenry County, IL	0.08	0.07	.	.	.	21	9	.	.	.
McLean County, IL	0.08	0.069	.	.	.	21	8.7	.	.	.
Macon County, IL	0.08	0.065	55	24	2	20	8.7	.	.	.
Macoupin County, IL	.	.	14	2	0.08	0.062	4	2	1
Madison County, IL	0.09	0.076	9	3	1	30	10.1	75	30	.
Monroe County, IL	20	2	0
Peoria County, IL	0.08	0.065
Randolph County, IL	0.08	0.068	.	.	.	18	7.8	.	.	.
Rock Island County, IL	0.07	0.061	.	.	.	22	8.8	.	.	.
Saint Clair County, IL	.	.	39	9	0.08	0.067	14	3	1	23	10.2	.	.	.
Sangamon County, IL	0.09	0.064	.	.	.	19	8.7	.	.	.
Tazewell County, IL	11	4	1
Wabash County, IL	25	6	1

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Will County, IL	0.08	0.064	.	.	.	20	9.1	.	.	.
Winnebago County, IL	0.07	0.066	.	.	.	23	8.3	.	.	.
Allen County, IN	0.08	0.069
Bartholomew County, IN	0.07	0.066	.	.	.	15	6.6	.	.	.
Boone County, IN	0.08	0.068
Brown County, IN	0.08	0.06
Carroll County, IN	0.07	0.066
Clark County, IN	0.08	0.064	.	.	.	24	10.3	61	20	.
Delaware County, IN	0.08	0.068	.	.	.	18	7.5	.	.	.
Dubois County, IN	21	8.6	46	16	.
Elkhart County, IN	0.07	0.06	.	.	.	30	8.5	.	.	.
Floyd County, IN	0.07	0.063	7	2	1
Gibson County, IN	34	10	2
Greene County, IN	0.07	0.063	.	.	.	17	7.1	.	.	.
Hamilton County, IN	0.08	0.065	.	.	.	23	10.1	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Hendricks County, IN	0.07	0.063
Howard County, IN	0.08	0.071	.	.	.	18	7.3	.	.	.
Knox County, IN	0.07	0.065
Lake County, IN	.	.	47	9	0.09	0.071	20	8	1	29	10.2	62	24	0.16
LaPorte County, IN	0.09	0.068	.	.	.	19	7.9	.	.	.
Madison County, IN	0.08	0.071	.	.	.	19	8.8	.	.	.
Marion County, IN	1.6	1.2	43	11	0.08	0.072	7	2	0	32	12.2	100	30	.
Monroe County, IN	17	7.1	.	.	.
Perry County, IN	0.08	0.065
Porter County, IN	0.09	0.073	45	13	1	22	8.5	71	19	0.01
Posey County, IN	0.07	0.06
St. Joseph County, IN	.	.	33	5	0.08	0.071	.	.	.	27	10.4	.	.	.
Shelby County, IN	0.08	0.065
Spencer County, IN	19	7.9	.	.	.
Tippecanoe County, IN	17	7.2	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Vanderburgh County, IN	1.3	0.8	30	5	0.07	0.067	10	4	1	23	9.8	81	19	.
Vigo County, IN	0.08	0.068	3	2	0	25	9.1	.	.	.
Wabash County, IN	0.08	0.068
Warrick County, IN	0.08	0.068	23	6	1
Whitley County, IN	23	9.1	.	.	.
Black Hawk County, IA	19	7.3	.	.	.
Bremer County, IA	0.06	0.057
Cerro Gordo County, IA	46	20	.
Clinton County, IA	0.07	0.063	75	29	2	22	8.1	.	.	.
Harrison County, IA	0.07	0.06
Johnson County, IA	22	8.9	.	.	.
Linn County, IA	0.07	0.059	47	18	1	22	8.9	59	21	.
Montgomery County, IA	0.07	0.057	.	.	.	16	6.1	.	.	.
Muscatine County, IA	27	10	1	22	8.1	59	19	.
Palo Alto County, IA	0.07	0.059

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Polk County, IA	.	.	35	6	0.06	0.057	.	.	.	22	7.1	62	21	.
Pottawattamie County, IA	19	7.5	57	21	0.12
Scott County, IA	1	0.6	.	.	0.07	0.061	3	1	0	23	8.8	126	33	.
Van Buren County, IA	.	.	7	2	0.06	0.056	2	1	0	.	.	43	15	.
Woodbury County, IA	13	7	.	.	.
Ford County, KS	164	26	.
Johnson County, KS	0.07	0.063	.	.	.	23	9	82	22	.
Leavenworth County, KS	0.08	0.061
Neosho County, KS	0.07	0.063	3	2	0
Sedgwick County, KS	.	.	.	6	0.08	0.072
Shawnee County, KS	0.07	0.059
Sherman County, KS	199	26	.
Sumner County, KS	.	.	29	3	0.08	0.067	3	2	1	23	9.1	128	31	.
Trego County, KS	.	.	.	2	0.07	0.063	3	3	0	18	7.2	178	27	.
Wyandotte County, KS	1.2	0.8	.	.	0.09	0.064	.	.	.	21	8	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Bell County, KY	0.06	0.06	.	.	.	21	9.6	.	.	.
Boone County, KY	0.08	0.066
Boyd County, KY	.	.	31	6	0.07	0.06	6	1	0	17	7.8	42	22	.
Bullitt County, KY	0.08	0.063
Campbell County, KY	.	.	29	5	0.08	0.062	10	3	1	18	7.7	.	.	.
Carter County, KY	0.07	0.058	.	.	.	15	6.8	19	10	.
Christian County, KY	0.07	0.061	.	.	.	21	9.3	.	.	.
Daviess County, KY	.	.	30	5	0.07	0.062	8	2	1	21	8.6	.	.	.
Edmonson County, KY	0.3	0.3	.	.	0.07	0.061	2	1	0
Fayette County, KY	.	.	43	6	0.07	0.065	3	1	0	18	7.9	27	14	.
Greenup County, KY	0.07	0.059	7	3	1
Hancock County, KY	0.08	0.067
Hardin County, KY	0.07	0.063	.	.	.	19	8	.	.	.
Henderson County, KY	73	23	1
Jefferson County, KY	1.7	1.2	48	14	0.09	0.072	12	3	1	22	9.8	59	20	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Jessamine County, KY	0.07	0.064	5	3	1
Livingston County, KY	0.08	0.068
McCracken County, KY	.	.	29	5	0.08	0.067	11	3	1
Madison County, KY	0.03
Morgan County, KY	0.07	0.059
Oldham County, KY	0.08	0.063
Perry County, KY	0.07	0.06	.	.	.	19	8.9	.	.	.
Pike County, KY	0.07	0.058	.	.	.	14	6.9	.	.	.
Pulaski County, KY	0.06	0.058	.	.	.	17	7.8	.	.	.
Simpson County, KY	0.07	0.062
Warren County, KY	0.07	0.063	.	.	.	16	7.8	.	.	.
Washington County, KY	0.07	0.06
Ascension Parish, LA	.	.	34	6	0.08	0.065
Bossier Parish, LA	0.07	0.059	4	1	0	.	.	77	20	.
Caddo Parish, LA	0.08	0.065	.	.	.	20	10	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Calcasieu Parish, LA	.	.	29	5	0.08	0.065	23	8	1	23	7.6	.	.	.
East Baton Rouge Parish, LA	1.2	0.9	43	8	0.08	0.067	14	4	0	20	9.2	68	19	0.01
Iberville Parish, LA	.	.	21	3	0.1	0.072	.	.	.	16	7.7	.	.	.
Jefferson Parish, LA	.	.	40	6	0.08	0.062	.	.	.	19	8.8	.	.	.
Lafayette Parish, LA	0.08	0.065	.	.	.	17	7.9	.	.	.
Lafourche Parish, LA	0.07	0.059
Livingston Parish, LA	.	.	.	2	0.08	0.065
Orleans Parish, LA	1.9	1.3	50	9	18	7.9	98	16	.
Ouachita Parish, LA	0.07	0.06	.	.	.	19	7.8	.	.	.
Pointe Coupee Parish, LA	0.08	0.063
Rapides Parish, LA	17	7.7	.	.	.
St. Bernard Parish, LA	0.07	0.06	54	13	2	18	8.2	.	.	.
St. Charles Parish, LA	63	15	2
St. James Parish, LA	0.08	0.063
St. John the Baptist Parish, LA	0.07	0.059	0.02

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
St. Martin Parish, LA	0.08	0.063
St. Tammany Parish, LA	0.07	0.066
Tangipahoa Parish, LA	19	7.6	.	.	.
Terrebonne Parish, LA	17	7.4	.	.	.
West Baton Rouge Parish, LA	.	.	42	8	0.09	0.066	20	3	1	19	9.1	.	.	.
Androscoggin County, ME	0.08	0.059	.	.	.	13	4.5	26	10	.
Aroostook County, ME	0.05	0.048	.	.	.	15	5.2	74	13	.
Cumberland County, ME	0.5	0.4	.	6	0.08	0.062	.	.	.	14	5.8	55	18	.
Hancock County, ME	0.3	0.3	.	.	0.09	0.066	1	0	0	9	3.6	14	6	.
Kennebec County, ME	0.07	0.054	.	.	.	15	5.1	37	9	.
Knox County, ME	0.07	0.056
Oxford County, ME	0.06	0.054	.	.	.	15	4.7	.	.	.
Penobscot County, ME	0.07	0.059	.	.	.	12	4.8	47	12	.
Sagadahoc County, ME	0.07	0.057
Washington County, ME	0.06	0.052

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
York County, ME	0.08	0.063
Anne Arundel County, MD	0.08	0.062	18	9	.
Baltimore County, MD	1.6	1.2	42	14	0.09	0.069	3	1	0	21	6.9	.	.	.
Calvert County, MD	0.07	0.058
Carroll County, MD	0.08	0.064
Cecil County, MD	0.08	0.063	.	.	.	16	6.8	.	.	.
Charles County, MD	0.07	0.061
Dorchester County, MD	0.07	0.062	1	1	0	13	6.9	.	.	.
Frederick County, MD	0.08	0.061
Garrett County, MD	0.3	0.2	9	1	0.07	0.059	3	1	0	11	5.2	.	.	.
Harford County, MD	0.09	0.068	.	.	.	16	6.3	.	.	.
Howard County, MD	0.8	0.7	44	15	15	6.9	.	.	.
Kent County, MD	0.08	0.065	.	.	.	12	6.3	.	.	.
Montgomery County, MD	0.08	0.063	.	.	.	16	7.3	.	.	.
Prince George's County, MD	1	0.6	36	6	0.08	0.065	3	1	0	12	5.5	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Washington County, MD	0.07	0.061	.	.	.	16	5.8	.	.	.
Baltimore (City), MD	.	.	43	9	0.08	0.068	.	.	.	16	6.9	20	11	.
Barnstable County, MA	0.08	0.06
Berkshire County, MA	0.07	0.063	.	.	.	15	5.8	.	.	.
Bristol County, MA	0.07	0.061	3	1	1	14	6.2	.	.	.
Dukes County, MA	0.08	0.064
Essex County, MA	0.08	0.07
Franklin County, MA	0.07	0.06	.	.	.	19	7.2	.	.	.
Hampden County, MA	.	.	40	10	0.08	0.067	1	1	0	16	6.2	.	.	.
Hampshire County, MA	.	.	17	2	0.08	0.063	1	1	0	15	6.5	.	.	.
Middlesex County, MA	.	.	41	11	0.07	0.062	.	.	.	15	6.2	.	.	.
Norfolk County, MA	.	.	38	5	0.08	0.067	.	.	.	13	6.1	.	.	.
Plymouth County, MA	0.07	0.063	.	.	.	17	8.7	.	.	.
Suffolk County, MA	2.6	1.1	47	12	0.08	0.068	3	1	0	17	7.3	34	13	.
Worcester County, MA	1.2	0.7	48	10	0.08	0.061	2	1	0	18	8.6	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Allegan County, MI	0.1	0.073	.	.	.	18	6.7	.	.	.
Bay County, MI	18	6.4	.	.	.
Benzie County, MI	0.09	0.069
Berrien County, MI	0.09	0.074
Cass County, MI	0.08	0.068
Clinton County, MI	0.07	0.064
Genesee County, MI	0.08	0.067	.	.	.	20	8.2	.	.	.
Huron County, MI	0.08	0.065
Ingham County, MI	.	.	37	6	0.07	0.062	6	3	1	23	8.7	.	.	.
Ionia County, MI	0.06
Kalamazoo County, MI	0.08	0.068	.	.	.	29	10.3	.	.	.
Kent County, MI	1.5	1.2	36	7	0.09	0.068	3	1	0	25	9.4	49	17	.
Lenawee County, MI	0.07	0.065	.	.	.	23	8.3	.	.	.
Macomb County, MI	0.08	0.068	.	.	.	25	8.8	.	.	.
Manistee County, MI	0.09	0.066

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Mason County, MI	0.09	0.066
Missaukee County, MI	.	.	8	1	0.08	0.065	.	.	.	17	8.9	.	.	.
Muskegon County, MI	0.11	0.082
Oakland County, MI	0.07	0.065	.	.	.	22	6.8	.	.	.
Ottawa County, MI	0.1	0.071
St. Clair County, MI	0.08	0.066	108	47	2	21	8.5	.	.	0.04
Schoolcraft County, MI	0.08	0.067	.	.	.	15	6.1	.	.	.
Tuscola County, MI	0.08	0.067
Washtenaw County, MI	0.08	0.067	.	.	.	26	8.9	.	.	.
Wayne County, MI	3.5	1.7	51	14	0.08	0.071	43	23	3	33	12.9	76	26	0.02
Wexford County, MI	0.09	0.073
Anoka County, MN	1	0.7	40	6	0.07	0.057	2	1	1	17	6.2	58	13	0.01
Becker County, MN	0.07	0.055	.	.	.	13	5.2	.	.	.
Beltrami County, MN	11	4.7	.	.	.
Carlton County, MN	0.06	0.05	.	.	.	8	1.4	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Cass County, MN	13	5.9	.	.	.
Cook County, MN	8	1.2	.	.	.
Crow Wing County, MN	0.06	0.055	.	.	.	16	5.6	.	.	.
Dakota County, MN	0.8	0.7	37	8	.	.	15	7	1	16	6.3	.	.	0.1
Goodhue County, MN	0.07	0.057
Hennepin County, MN	3.7	1.6	46	12	0.06	0.054	.	.	.	19	7.6	118	23	0.03
Lake County, MN	0.06	0.053	.	.	.	12	4.1	.	.	.
Lyon County, MN	0.06	0.058	.	.	.	20	6.5	.	.	.
Olmsted County, MN	0.06	0.057	.	.	.	20	6.5	.	.	.
Ramsey County, MN	18	7.3	84	25	0.03
Saint Louis County, MN	.	.	.	5	0.06	0.052	16	5	1	13	3	64	22	0.01
Scott County, MN	0.07	0.06	.	.	.	17	6.8	.	.	.
Washington County, MN	0.07	0.061	4	3	1	0
Wright County, MN	0.07	0.06	.	.	.	16	6.1	.	.	.
Bolivar County, MS	0.07	0.063	.	.	.	22	8.6	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
DeSoto County, MS	0.09	0.075	.	.	.	20	9.1	.	.	.
Forrest County, MS	23	10.2	.	.	.
Hancock County, MS	0.07	0.061	.	.	.	20	8.3	.	.	.
Harrison County, MS	0.08	0.065	.	.	.	20	8.9	.	.	.
Hinds County, MS	1.3	1	.	.	0.08	0.062	2	1	0	26	9.9	102	20	.
Jackson County, MS	.	.	30	3	0.08	0.065	5	2	0	17	8	.	.	.
Lauderdale County, MS	0.07	0.059
Lee County, MS	0.08	0.067
Yalobusha County, MS	0.07	0.064
Andrew County, MO	0.07	0.061
Boone County, MO	0.07	0.057
Buchanan County, MO	19	6.6	99	30	.
Callaway County, MO	0.07	0.061
Cass County, MO	0.07	0.063	.	.	.	14	5.8	.	.	.
Cedar County, MO	0.07	0.066	.	.	.	19	5.9	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Clay County, MO	0.09	0.07	.	.	.	15	5.5	.	.	.
Clinton County, MO	0.08	0.065
Franklin County, MO	44	6	0
Greene County, MO	0.08	0.066
Holt County, MO	0.02
Iron County, MO	61	12	2	0.14
Jackson County, MO	1.9	1	47	10	.	.	7	2	1	23	10.1	132	32	.
Jasper County, MO	0.08	0.069	132	29	.
Jefferson County, MO	0.08	0.069	31	4	1	.	.	62	13	0.04
Lincoln County, MO	0.08	0.068
Monroe County, MO	.	.	8	2	0.06	0.053	5	3	1	.	.	51	12	.
New Madrid County, MO	479	334	46
Perry County, MO	0.08	0.067
Reynolds County, MO	0.03
Saint Charles County, MO	0.09	0.071	39	9	1

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Sainte Genevieve County, MO	0.07	0.063
Saint Louis County, MO	.	.	41	10	0.08	0.067	23	4	1	21	8.7	.	.	.
St. Louis City, MO	1.7	1.1	45	8	0.08	0.068	11	2	1	27	9.5	175	36	.
Custer County, MT	.	.	29	4	0.07	0.058	.	.	.	13	5.2	.	.	.
Fergus County, MT	.	.	8	1	0.06	0.057	.	.	.	21	4.2	59	9	.
Flathead County, MT	0.06	0.052	.	.	.	30	8.4	114	27	.
Gallatin County, MT	2.6	0.6	.	2	15	3.6	.	.	.
Lewis and Clark County, MT	0.7	0.7	.	.	0.06	0.057	1	1	0	35	8.6	.	.	.
Lincoln County, MT	32	12	70	16	.
Missoula County, MT	0.07	0.056	.	.	.	36	10.8	129	16	.
Phillips County, MT	.	.	8	1	0.06	0.051	.	.	.	12	4.2	88	11	.
Powder River County, MT	.	.	9	1	0.07	0.059	.	.	.	21	5.9	.	.	.
Ravalli County, MT	65	8.6	.	.	.
Richland County, MT	.	.	12	1	0.06	0.054	7	2	0	14	4.8	63	12	.
Sanders County, MT	109	22	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Silver Bow County, MT	42	9.2	105	21	.
Yellowstone County, MT	26	5	1	22	6.7	.	.	.
Cass County, NE	94	24	.
Douglas County, NE	1.6	1.4	.	.	0.08	0.063	46	23	1	18	6.9	70	25	.
Hall County, NE	16	5.7	.	.	.
Knox County, NE	0.08	0.066
Lancaster County, NE	0.06	0.055	.	.	.	16	6.4	.	.	.
Sarpy County, NE	16	6.7	.	.	.
Scotts Bluff County, NE	9	3.2	.	.	.
Churchill County, NV	0.06	0.059
Clark County, NV	2.7	2.2	50	21	0.09	0.074	4	2	1	40	10.5	429	45	.
Douglas County, NV	27	6.1	.	.	.
Elko County, NV	176	23	.
Lyon County, NV	0.07	0.061
Nye County, NV	352	34	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Washoe County, NV	2.6	1.8	47	12	0.08	0.066	3	1	0	74	10	192	26	.
White Pine County, NV	0.07	0.061
Carson City, NV	0.07	0.062	.	.	.	41	5.7	.	.	.
Belknap County, NH	0.07	0.056	.	.	.	11	4.5	.	.	.
Cheshire County, NH	0.07	0.059	.	.	.	17	5.9	.	.	.
Coos County, NH	0.07	0.056
Grafton County, NH	0.07	0.054	.	.	.	12	5.5	.	.	.
Hillsborough County, NH	0.4	0.3	.	.	0.08	0.062	.	.	.	10	4.1	.	.	.
Merrimack County, NH	0.07	0.057	33	13	2
Rockingham County, NH	0.5	0.5	.	2	0.09	0.068	9	3	1	14	6.4	36	14	.
Atlantic County, NJ	0.07	0.06	1	0	0	13	6.1	.	.	.
Bergen County, NJ	1.4	1.2	53	16	0.08	0.063	.	.	.	16	6.9	.	.	.
Camden County, NJ	1.9	1.4	48	11	0.07	0.062	5	2	0	19	8.8	50	21	.
Cumberland County, NJ	.	.	32	6	0.07	0.061	.	.	.	13	5.8	.	.	.
Essex County, NJ	1.9	1.3

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Gloucester County, NJ	0.08	0.069	.	.	.	13	6.2	.	.	.
Hudson County, NJ	3.7	2	54	17	0.08	0.065	5	3	1	19	7.5	25	14	.
Hunterdon County, NJ	0.08	0.063	.	.	.	17	7.2	.	.	.
Mercer County, NJ	0.08	0.068	.	.	.	16	7.8	.	.	.
Middlesex County, NJ	.	.	43	8	0.08	0.068	.	.	.	16	7.3	.	.	.
Monmouth County, NJ	0.09	0.069
Morris County, NJ	.	.	28	3	0.08	0.062	4	2	1	11	5.1	.	.	.
Ocean County, NJ	0.08	0.069	.	.	.	14	5.9	.	.	.
Passaic County, NJ	0.07	0.058
Union County, NJ	2.2	1.5	63	20	.	.	5	3	1	21	9.5	.	.	.
Warren County, NJ	.	.	40	11	0.07	0.06	4	1	0	24	8.4	.	.	.
Bernalillo County, NM	3.3	1.7	44	9	0.08	0.074	3	1	0	31	10.7	449	49	.
Dona Ana County, NM	.	.	50	8	0.1	0.08	.	.	.	20	8.3	372	41	.
Eddy County, NM	.	.	32	5	0.09	0.083
Lea County, NM	.	.	32	4	0.08	0.072	.	.	.	22	6.8	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Luna County, NM	336	29	.
Rio Arriba County, NM	0.07	0.062
Sandoval County, NM	0.08	0.069
San Juan County, NM	.	.	32	9	0.08	0.069	5	2	1	.	.	270	20	.
Santa Fe County, NM	0.07	0.067	.	.	.	15	2.9	.	.	.
Taos County, NM	18	4.6	.	.	.
Valencia County, NM	0.07	0.064
Albany County, NY	0.07	0.058	.	.	.	16	7	.	.	.
Bronx County, NY	2	1.6	57	16	0.08	0.065	4	2	1	17	8.1	24	12	.
Chautauqua County, NY	0.08	0.071	.	.	.	15	5.6	.	.	.
Dutchess County, NY	0.07	0.063
Erie County, NY	1.1	0.8	51	10	0.08	0.066	11	4	0	19	6.6	60	16	.
Essex County, NY	0.07	0.061	1	1	0	9	3.5	.	.	.
Hamilton County, NY	0.06	0.055	1	1	0
Jefferson County, NY	0.07	0.059

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Kings County, NY	15	7.3	.	.	.
Monroe County, NY	0.8	0.7	.	7	0.08	0.067	2	1	0	17	6.6	.	.	.
Nassau County, NY	11	2	0
New York County, NY	1.6	1.2	.	.	0.08	0.065	.	.	.	19	7.2	.	.	.
Niagara County, NY	0.08	0.068
Onondaga County, NY	0.06	0.056	.	.	.	13	6.1	.	.	.
Orange County, NY	15	5.8	.	.	.
Oswego County, NY	0.06	0.055
Putnam County, NY	0.09	0.064
Queens County, NY	2	1.7	53	16	0.09	0.07	5	2	0	21	8.9	23	11	.
Richmond County, NY	0.08	0.063	.	.	.	14	6.9	.	.	.
Rockland County, NY	0.08	0.062
St. Lawrence County, NY	77	41	3
Saratoga County, NY	0.07	0.06
Steuben County, NY	0.2	0.2	.	.	0.06	0.055	2	1	0	12	5.9	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Suffolk County, NY	0.6	0.4	27	4	0.1	0.074	.	.	.	12	6	.	.	.
Tompkins County, NY	0.06	0.059
Wayne County, NY	0.07	0.059
Westchester County, NY	0.09	0.066
Alexander County, NC	0.07	0.06
Avery County, NC	0.06	0.057
Beaufort County, NC	10	1	0
Buncombe County, NC	0.07	0.06	.	.	.	12	6.5	.	.	.
Caldwell County, NC	0.07	0.059	2	1	0
Carteret County, NC	0.07	0.058
Caswell County, NC	0.07	0.058
Catawba County, NC	17	7.9	.	.	.
Cumberland County, NC	0.07	0.068	.	.	.	15	7.7	40	15	.
Davidson County, NC	19	8.9	.	.	.
Durham County, NC	0.07	0.062	3	2	0	13	6.7	28	14	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Edgecombe County, NC	0.07	0.061
Forsyth County, NC	.	.	35	6	0.07	0.062	4	1	1	17	8.2	28	14	.
Graham County, NC	0.07	0.065
Granville County, NC	0.07	0.062
Guilford County, NC	0.07	0.063	.	.	.	16	8.3	24	12	.
Haywood County, NC	0.08	0.064	35	16	1
Johnston County, NC	0.08	0.063	.	.	.	13	7	.	.	.
Lenoir County, NC	0.07	0.064
Lincoln County, NC	0.08	0.064
Macon County, NC	0.07	0.058
Martin County, NC	0.06	0.056	3	2	0
Mecklenburg County, NC	1.7	1.3	37	10	0.08	0.068	2	1	0	18	8.4	35	14	.
Mitchell County, NC	14	5.8	.	.	.
Montgomery County, NC	0.07	0.062	.	.	.	16	7.2	.	.	.
New Hanover County, NC	0.07	0.058	.	.	.	12	4.9	40	15	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Northampton County, NC	.	.	15	2	16	6.6	.	.	.
Person County, NC	0.07	0.058
Pitt County, NC	0.07	0.06	.	.	.	12	6	.	.	.
Rockingham County, NC	0.07	0.06
Rowan County, NC	.	.	25	5	0.07	0.064	.	.	.	17	7.7	.	.	.
Swain County, NC	0.07	0.061	.	.	.	14	6.7	.	.	.
Union County, NC	0.08	0.067
Wake County, NC	1.4	1.2	35	8	0.08	0.064	2	1	0	18	8.7	28	15	.
Yancey County, NC	0.07	0.061
Billings County, ND	0.06	0.053	5	4	2	13	5.5	.	.	.
Burke County, ND	.	.	11	2	0.08	0.053	18	6	1	18	6.4	64	12	.
Burleigh County, ND	0.7	0.4	32	4	0.05	0.046	7	2	0	21	8.2	83	21	.
Cass County, ND	.	.	32	4	0.06	0.055	4	2	1	22	7.6	.	.	.
Dunn County, ND	.	.	13	2	0.06	0.053	5	2	1	16	5.7	55	13	.
McKenzie County, ND	.	.	.	1	0.06	0.054

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Mercer County, ND	.	.	.	3	0.07	0.054	21	5	1	14	5.6	.	.	.
Oliver County, ND	.	.	10	2	0.07	0.056	10	3	1	20	7.5	.	.	.
Ward County, ND	.	.	10	2	0.07	0.053	7	5	1	14	5.8	.	.	.
Williams County, ND	7	3	1
Allen County, OH	0.07	0.067	4	2	0	17	7.1	.	.	.
Ashtabula County, OH	0.08	0.073
Athens County, OH	13	5.5	.	.	.
Belmont County, OH	.	.	31	6	.	.	4	3	0	15	6.7	49	15	.
Butler County, OH	0.08	0.07	18	6	1	22	10	119	29	.
Clark County, OH	0.08	0.068	.	.	.	15	7.1	.	.	.
Clermont County, OH	0.07	0.063
Clinton County, OH	0.07	0.064
Columbiana County, OH	33	13	0.01
Cuyahoga County, OH	4.9	2.5	49	10	0.09	0.073	28	8	1	27	11	77	28	0.01
Delaware County, OH	0.07	0.06

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Franklin County, OH	1.5	1	42	10	0.08	0.069	3	1	0	20	9	54	14	.
Fulton County, OH	0.03
Gallia County, OH	40	7	1
Geauga County, OH	0.08	0.064
Greene County, OH	0.08	0.065
Guernsey County, OH	33	7	1
Hamilton County, OH	1.5	1.3	55	18	0.08	0.069	24	5	1	21	10	58	18	.
Hancock County, OH	13	3	0
Jefferson County, OH	0.07	0.061	36	11	1	24	10.8	54	21	.
Knox County, OH	0.07	0.064
Lake County, OH	0.09	0.076	4	2	1	15	6.2	68	19	.
Lawrence County, OH	0.07	0.06	4	2	0	18	8.4	38	16	.
Licking County, OH	0.08	0.063
Lorain County, OH	0.07	0.063
Lucas County, OH	0.08	0.07	17	4	0	24	8.7	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Madison County, OH	0.07	0.063
Mahoning County, OH	0.08	0.067	6	3	1	19	7.9	.	.	.
Marion County, OH	0.01
Medina County, OH	0.08	0.067	.	.	.	17	6.6	.	.	.
Miami County, OH	0.08	0.066
Montgomery County, OH	0.08	0.066	.	.	.	20	9.2	66	18	.
Morgan County, OH	13	4	1
Noble County, OH	0.07	0.063
Portage County, OH	0.09	0.071	.	.	.	17	6.4	.	.	.
Preble County, OH	0.4	0.3	.	.	0.08	0.069	7	2	0	19	8.5	54	16	.
Scioto County, OH	21	6	1	17	7.1	43	14	.
Stark County, OH	0.08	0.066	.	.	.	23	9.3	.	.	0.12
Summit County, OH	0.09	0.069	6	2	0	19	8	.	.	.
Trumbull County, OH	0.08	0.068	.	.	.	20	7.9	39	15	.
Warren County, OH	0.09	0.069

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Washington County, OH	0.07	0.06	24	8	1	0
Wood County, OH	0.07	0.066
Adair County, OK	0.7	0.6	.	.	0.08	0.069
Canadian County, OK	0.08	0.069
Carter County, OK	23	7.7	.	.	.
Cleveland County, OK	0.08	0.07
Comanche County, OK	0.08	0.068	.	.	.	18	8.1	.	.	.
Creek County, OK	0.08	0.07
Dewey County, OK	0.08	0.069
Garfield County, OK	38	7	0
Kay County, OK	10	2	0	21	8.6	.	.	.
Kiowa County, OK	0.08	0.069
Love County, OK	0.09	0.075
McClain County, OK	0.08	0.07
Mayes County, OK	0.08	0.066

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Nowata County, OK	0.09	0.072	.	.	.	30	12	.	.	.
Oklahoma County, OK	1.9	1.3	44	13	0.09	0.073	1	0	0	22	9.5	110	25	.
Osage County, OK	0.09	0.075
Ottawa County, OK	0.12	0.07	0.02
Pittsburg County, OK	0.08	0.064	.	.	.	25	9.1	.	.	0.01
Sequoyah County, OK	.	.	.	5	0.08	0.06	.	.	.	22	7.5	.	.	.
Tulsa County, OK	1.2	0.8	39	7	0.12	0.073	6	3	0	21	9.8	106	27	.
Clackamas County, OR	0.08	0.067
Columbia County, OR	0.08	0.054
Crook County, OR	20	6.7	.	.	.
Harney County, OR	29	9.2	.	.	.
Jackson County, OR	0.09	0.066
Josephine County, OR	24	9.4	.	.	.
Klamath County, OR	43	10.4	.	.	.
Lake County, OR	35	8.5	49	16	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Lane County, OR	0.07	0.059	.	.	.	247	23.3	350	26	.
Marion County, OR	0.08	0.069
Multnomah County, OR	1.9	1.5	30	7	0.09	0.056	3	2	1	27	8	39	13	.
Umatilla County, OR	0.07	0.064
Union County, OR	44	14	.
Washington County, OR	1.5	0.9	31	10	0.09	0.061	.	.	.	29	8.6	.	.	.
Adams County, PA	0.3	0.3	15	3	0.07	0.061	.	.	.	20	8.4	.	.	.
Allegheny County, PA	6.4	2.9	29	8	0.08	0.066	69	26	3	37	12.6	55	20	.
Armstrong County, PA	0.08	0.063	.	.	.	22	9.4	.	.	.
Beaver County, PA	.	.	40	9	0.08	0.064	6	2	0	0
Berks County, PA	0.08	0.062	3	2	0	21	8.2	.	.	0.02
Blair County, PA	0.07	0.062	6	2	1
Bradford County, PA	0.07	0.059
Bucks County, PA	0.08	0.07
Cambria County, PA	1.5	1.1	34	6	0.07	0.063	12	4	1	23	10.2	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Carbon County, PA	0.02
Centre County, PA	.	.	29	4	0.07	0.06	3	2	0	17	7.9	.	.	.
Chester County, PA	0.07	0.058
Clearfield County, PA	0.06	0.055
Cumberland County, PA	23	9.1	.	.	.
Dauphin County, PA	0.07	0.063	.	.	.	25	9.8	36	13	.
Delaware County, PA	.	.	40	10	0.01
Elk County, PA	0.07	0.06
Erie County, PA	1.5	0.9	34	5	0.07	0.059	.	.	.	17	7.1	32	13	.
Fayette County, PA	0.07	0.06
Franklin County, PA	0.07	0.059
Greene County, PA	0.07	0.063
Indiana County, PA	0.06	0.059	16	4	0	15	7.6	.	.	.
Lackawanna County, PA	1.1	0.9	44	10	0.06	0.06	2	1	0	16	7.6	37	13	.
Lancaster County, PA	0.07	0.061	.	.	.	35	14.8	29	13	0.03

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Lawrence County, PA	0.08	0.063	0.02
Lebanon County, PA	0.07	0.058	.	.	.	22	9	.	.	.
Lehigh County, PA	0.07	0.059	39	13	.
Luzerne County, PA	0.07	0.058
Lycoming County, PA	0.07	0.055
Mercer County, PA	0.08	0.069
Monroe County, PA	0.07	0.06
Montgomery County, PA	0.08	0.066	.	.	.	18	7.8	.	.	.
Northampton County, PA	.	.	37	9	0.07	0.063	5	2	1	24	8.7	.	.	.
Philadelphia County, PA	1.8	1.5	56	14	0.09	0.068	7	3	1	23	9.5	47	18	.
Somerset County, PA	0.07	0.059
Tioga County, PA	0.07	0.06
Warren County, PA	50	14	2
Washington County, PA	.	.	34	8	0.07	0.059	12	3	1	20	9.6	.	.	.
Westmoreland County, PA	0.06	0.05	0

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
York County, PA	.	.	39	9	0.07	0.064	7	2	0	21	8.8	.	.	.
Kent County, RI	0.08	0.06	.	.	.	10	3.7	.	.	.
Providence County, RI	1.8	1.3	39	6	0.08	0.063	2	1	0	17	6.5	21	11	.
Washington County, RI	0.09	0.075	.	.	.	11	3.6	.	.	.
Aiken County, SC	0.07	0.062
Anderson County, SC	0.07	0.06
Berkeley County, SC	0.07	0.062
Charleston County, SC	.	.	34	6	0.07	0.059	16	5	0
Chesterfield County, SC	0.07	0.062
Darlington County, SC	0.07	0.061
Edgefield County, SC	0.07	0.058	2	1	0
Florence County, SC	0
Greenville County, SC	.	.	40	7	0.07	0.066	2	1	0	20	9.8	36	17	.
Horry County, SC	0.07	0.061
Richland County, SC	1	0.6	30	3	0.07	0.064

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Spartanburg County, SC	0.07	0.063
York County, SC	0.08	0.062	2	1	0	15	7.1	.	.	.
Brookings County, SD	0.07	0.062	.	.	.	13	3.7	124	22	.
Brown County, SD	15	4.2	106	21	.
Clay County, SD	0.07	0.062	.	.	.	14	6	.	.	.
Codington County, SD	0.07	0.066	.	.	.	16	6.9	114	24	.
Custer County, SD	0.07	0.063	.	.	.	16	4.3	40	6	.
Hughes County, SD	10	1.9	.	.	.
Jackson County, SD	.	.	3	0	0.07	0.065	1	1	0	15	3.3	47	12	.
Meade County, SD	0.06	0.059	57	11	.
Minnehaha County, SD	0.8	0.8	27	4	0.08	0.065	2	1	1	13	6.2	115	20	.
Pennington County, SD	.	.	32	5	.	.	1	0	0	21	7	133	41	.
Anderson County, TN	0.07	0.059
Blount County, TN	0.4	0.2	.	1	0.07	0.068	.	.	.	15	7	.	.	.
Claiborne County, TN	0.06	0.057

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Davidson County, TN	2.3	1.8	53	13	0.09	0.067	3	3	1	20	9.2	80	20	.
DeKalb County, TN	0.07	0.061
Dyer County, TN	19	7.5	.	.	.
Hamilton County, TN	0.08	0.069	.	.	.	15	7.4	.	.	.
Jefferson County, TN	0.07	0.061
Knox County, TN	0.07	0.06	.	.	.	17	8.7	37	16	0.04
Lawrence County, TN	14	5.4	.	.	.
Loudon County, TN	0.07	0.058	.	.	.	13	6.3	.	.	.
McMinn County, TN	16	7.7	.	.	.
Madison County, TN	18	8	.	.	.
Maury County, TN	15	6.5	.	.	.
Montgomery County, TN	16	6.9	.	.	.
Putnam County, TN	16	6.3	.	.	.
Roane County, TN	17	7.1	.	.	.
Sevier County, TN	0.07	0.064

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Shelby County, TN	2.2	1.1	37	9	0.09	0.074	3	1	0	19	8.8	104	21	.
Sullivan County, TN	0.07	0.063	55	21	2	12	6	.	.	0.04
Sumner County, TN	0.08	0.063	.	.	.	19	7.4	.	.	.
Williamson County, TN	0.08	0.067
Wilson County, TN	0.08	0.064
Atascosa County, TX	27	9.2	.	.	.
Bell County, TX	0.08	0.069	.	.	.	23	7	.	.	.
Bexar County, TX	1.5	0.9	37	6	0.09	0.076	5	2	0	24	8.5	57	25	.
Bowie County, TX	24	10.3	.	.	.
Brazoria County, TX	.	.	17	2	0.09	0.072
Brazos County, TX	22	7.8	.	.	.
Brewster County, TX	0.07	0.064	.	.	.	15	6	.	.	.
Cameron County, TX	0.06	0.057	.	.	.	31	10.2	.	.	.
Collin County, TX	0.09	0.073	0.01
Dallas County, TX	1.6	1.3	46	9	0.1	0.077	4	3	1	15	8.2	68	28	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Denton County, TX	.	.	36	7	0.09	0.078	.	.	.	23	7.4	.	.	.
Ector County, TX	20	7.5	.	.	.
Ellis County, TX	0.08	0.066
El Paso County, TX	2.7	1.5	53	13	0.09	0.079	5	1	0	20	9.3	88	49	.
Freestone County, TX	12	3	0
Galveston County, TX	.	.	.	2	0.1	0.073	.	.	.	24	8.1	69	20	.
Gregg County, TX	.	.	17	3	0.09	0.064	18	3	0
Harris County, TX	2	1.5	59	18	0.12	0.084	14	3	0	27	11.8	72	38	.
Harrison County, TX	.	.	.	2	0.08	0.065	20	5	1
Hidalgo County, TX	0.07	0.063
Hood County, TX	0.09	0.081
Howard County, TX	146	111	8
Hunt County, TX	.	.	27	4	0.07	0.065
Hutchinson County, TX	107	26	3
Jefferson County, TX	.	.	34	6	0.08	0.065	56	10	1	21	8.5	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Johnson County, TX	0.1	0.082
Karnes County, TX	.	.	28	3
Kaufman County, TX	.	.	30	4	0.08	0.069	16	3	1
Kleberg County, TX	30	10.1	.	.	.
Lubbock County, TX	22	5.6	.	.	.
McLennan County, TX	0.7	0.5	.	.	0.07	0.062	7	2	0
Maverick County, TX	23	7.6	.	.	.
Montgomery County, TX	.	.	26	3	0.1	0.073	.	.	.	21	9.7	.	.	.
Navarro County, TX	.	.	.	3	0.07	0.066	119	24	2
Nueces County, TX	0.07	0.062	4	1	0	25	9	.	.	.
Orange County, TX	.	.	25	4	0.08	0.062	.	.	1	18	8.1	.	.	.
Parker County, TX	0.09	0.075
Polk County, TX	0.07	0.06
Potter County, TX	158	30	3	16	6.2	.	.	.
Randall County, TX	0.08	0.071

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Robertson County, TX	12	3	0
Rockwall County, TX	0.08	0.062
Rusk County, TX	77	19	1
Smith County, TX	.	.	14	2	0.08	0.071
Tarrant County, TX	1.9	1.2	52	14	0.1	0.08	.	.	.	27	10.1	.	.	.
Titus County, TX	17	3	0
Travis County, TX	2.1	1.2	.	13	0.09	0.073	.	.	.	23	9.5	57	24	.
Victoria County, TX	0.07	0.06
Webb County, TX	1.4	0.7	29	9.7	111	35	.
Wilson County, TX	.	.	.	4
Cache County, UT	.	.	33	5	0.07	0.063	.	.	.	62	8.6	.	.	.
Carbon County, UT	.	.	16	3	0.06	0.06
Davis County, UT	.	.	50	12	0.09	0.075	.	.	.	27	7.2	53	21	.
Duchesne County, UT	.	.	40	6	0.07	0.066	.	.	.	21	6.2	103	20	.
Iron County, UT	.	.	38	6	0.07	0.061	.	.	.	12	5.7	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Salt Lake County, UT	1.8	1.3	53	18	0.09	0.076	5	3	1	40	9.9	152	27	.
San Juan County, UT	0.07	0.063
Tooele County, UT	.	.	22	3	0.09	0.07	.	.	.	28	6.8	.	.	.
Uintah County, UT	.	.	30	4	0.07	0.064	.	.	.	17	5.1	.	.	.
Utah County, UT	1.1	0.8	41	9	0.08	0.074	.	.	.	25	7.2	97	25	.
Washington County, UT	.	.	30	6	0.07	0.064	.	.	.	13	5.1	.	.	.
Weber County, UT	1.2	0.8	41	10	0.08	0.071	.	.	.	27	6.7	126	20	.
Bennington County, VT	0.06	0.057	.	.	.	12	5.5	.	.	.
Chittenden County, VT	0.1	0.1	.	.	0.06	0.057	.	.	.	14	6.8	14	6	.
Rutland County, VT	1.9	0.8	33	6	0.06	0.054	2	1	0	18	7.2	24	12	.
Albemarle County, VA	0.06	0.056	.	.	.	10	5.8	.	.	.
Arlington County, VA	1.4	1.2	41	9	0.08	0.061	.	.	.	14	6.7	.	.	.
Caroline County, VA	0.07	0.056
Carroll County, VA	22	9	.
Charles County, VA	.	.	26	4	0.08	0.06	4	1	0	13	5.8	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Chesterfield County, VA	0.07	0.058	.	.	.	12	5.8	.	.	.
Fairfax County, VA	1.7	1	46	15	0.08	0.062	3	1	0	16	8.1	23	13	.
Fauquier County, VA	0.06	0.056
Frederick County, VA	0.07	0.055	.	.	.	15	6.7	.	.	.
Giles County, VA	0.07	0.062	62	16	3
Hanover County, VA	0.08	0.061
Henrico County, VA	1.1	0.9	35	7	0.08	0.061	3	1	0	16	8	27	14	.
Loudoun County, VA	.	.	34	5	0.08	0.061	.	.	.	13	6.4	.	.	.
Madison County, VA	0.06	0.061
Montgomery County, VA	0
Pittsylvania County, VA	.	.	.	2
Prince Edward County, VA	0.07	0.055
Prince William County, VA	.	.	22	3	0.07	0.058
Roanoke County, VA	0.8	0.6	33	5	0.07	0.058	.	.	.	16	7.4	.	.	.
Rockbridge County, VA	0.06	0.054

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Rockingham County, VA	.	.	36	8	0.07	0.056	2	1	0	13	6.5	.	.	.
Stafford County, VA	0.07	0.058	13	7	.
Wythe County, VA	0.07	0.059
Bristol City, VA	13	6.2	.	.	.
Hampton City, VA	0.9	0.7	20	3	0.07	0.06	3	2	1	13	7	26	13	.
Lynchburg City, VA	12	5.7	.	.	.
Norfolk City, VA	1.4	0.9	41	7	.	.	2	2	0	13	6.3	20	11	.
Richmond City, VA	1.2	0.9	49	14	16	8.1	.	.	.
Salem City, VA	13	6.4	.	.	.
Suffolk City, VA	0.07	0.057
Virginia Beach City, VA	14	6.5	.	.	.
Benton County, WA	0.07	0.064	125	18	.
Chelan County, WA	1	0	0
Clallam County, WA	0.8	0.5	.	.	0.05	0.05	1	0	0
Clark County, WA	0.07	0.056	.	.	.	29	7.7	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Columbia County, WA	0.06	0.056
King County, WA	1.5	1.3	54	16	0.1	0.075	3	2	.	34	9.3	.	.	.
Kitsap County, WA	20	6.4	.	.	.
Kittitas County, WA	25	7.1	.	.	.
Okanogan County, WA	31	10.3	.	.	.
Pierce County, WA	.	.	39	14	0.07	0.06	.	.	.	38	8.7	.	.	.
Skagit County, WA	0.07	0.057	.	.	.	14	5.6	.	.	.
Snohomish County, WA	69	12.2	.	.	.
Spokane County, WA	0.07	0.061	.	.	.	30	7.7	99	16	.
Stevens County, WA	31	8.9	97	24	.
Thurston County, WA	0.07	0.055
Walla Walla County, WA	99	20	.
Whatcom County, WA	0.07	0.048	3	1	0
Yakima County, WA	29	9.6	80	19	.
Berkeley County, WV	0.07	0.054	.	.	.	20	8.2	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Brooke County, WV	30	10	2	19	7.6	54	16	.
Cabell County, WV	0.07	0.062	.	.	.	14	7.2	.	.	.
Greenbrier County, WV	0.06	0.055
Hancock County, WV	0.08	0.062	17	5	1	17	7.4	52	15	.
Harrison County, WV	13	6.7	.	.	.
Kanawha County, WV	0.7	0.5	.	.	0.07	.	5	2	1	15	7.3	.	.	.
Marion County, WV	15	7.1	.	.	.
Marshall County, WV	8	5	2	19	8.3	.	.	.
Mason County, WV	32	5	0
Monongalia County, WV	0.06	0.057	11	4	1	14	7	.	.	.
Ohio County, WV	0.06	0.056	.	.	.	16	7.4	.	.	.
Tucker County, WV	0.07	0.061
Wood County, WV	0.07	0.062	19	6	2	15	7.4	.	.	.
Ashland County, WI	0.06	0.056	.	.	.	14	4.9	.	.	.
Brown County, WI	0.08	0.065	6	3	0	20	7.4	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Columbia County, WI	0.07	0.062
Dane County, WI	0.07	0.062	1	1	0	22	8.3	63	16	.
Dodge County, WI	0.8	0.4	.	.	0.07	0.065	2	1	0	20	7.5	60	14	.
Door County, WI	0.09	0.075
Eau Claire County, WI	0.07	0.058	.	.	.	19	7.2	61	15	.
Fond du Lac County, WI	0.08	0.064
Forest County, WI	0.06	0.059	1	1	1	15	5.3	.	.	.
Grant County, WI	21	8.2	.	.	.
Jackson County, WI	17	6.2	.	.	.
Jefferson County, WI	0.07	0.063
Kenosha County, WI	0.4	0.3	.	.	0.1	0.071	.	.	.	21	7.7	.	.	.
Kewaunee County, WI	0.09	0.072
La Crosse County, WI	0.06	0.056	.	.	.	19	7.4	.	.	.
Manitowoc County, WI	0.1	0.081
Marathon County, WI	0.06	0.057

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Milwaukee County, WI	1	0.7	41	12	0.1	0.074	4	2	1	24	9	84	21	.
Monroe County, WI	17	6.5	.	.	.
Oneida County, WI	32	6	0
Outagamie County, WI	0.08	0.063	82	17	2	22	8	.	.	.
Ozaukee County, WI	0.1	0.072
Racine County, WI	0.1	0.07
Rock County, WI	0.07	0.065
Sauk County, WI	0.07	0.06	.	.	.	19	7.3	55	14	.
Sheboygan County, WI	0.1	0.077
Taylor County, WI	0.06	0.057	.	.	.	17	6	.	.	.
Vilas County, WI	0.06	0.057	.	.	.	14	4.9	.	.	.
Walworth County, WI	0.08	0.07
Waukesha County, WI	0.09	0.069	.	.	.	24	9	76	18	.
Albany County, WY	.	.	.	10	0.09	0.067	.	1	0	7	2.6	169	31	.
Big Horn County, WY	0.06	0.057

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Campbell County, WY	.	.	6	1	0.07	0.061	.	.	.	22	6	260	35	.
Carbon County, WY	.	.	24	3	.	.	5	1	0
Converse County, WY	0.3	0.3	19	1	0.07	0.059	103	23	.
Fremont County, WY	.	.	4	3	0.07	0.063	51	15	2	15	5.8	32	7	.
Johnson County, WY	.	.	6	1	0.07	0.058	53	9	.
Laramie County, WY	0.3	0.2	27	3	0.07	0.062	4	3	0	12	5.3	76	12	.
Lincoln County, WY	.	.	.	5	.	.	.	1	0	.	.	95	13	.
Natrona County, WY	.	.	33	4	0.07	0.06	8	2	1	9	3.3	.	.	.
Park County, WY	16	4.5	.	.	.
Platte County, WY	727	37	.
Sheridan County, WY	55	15	.
Sublette County, WY	.	.	19	2	0.07	0.062	.	.	.	9	3.1	35	8	.
Sweetwater County, WY	.	.	30	3	0.07	0.061	8	2	1	10	4.3	149	20	.
Teton County, WY	0.5	0.3	.	1	0.07	0.058	.	.	.	12	4.1	48	12	.
Uinta County, WY	60	10	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023

Air Quality Statistics Report

Geographic Area: United States

Summary: by County

Year: 2022

Exceptional Events: Included (if any)

Statistics in red are above the level of the respective air quality standard

County	CO 1-hr 2nd Max	CO 8-hr 2nd Max	NO2 98th %ile	NO2 Ann. Mean	O3 1-hr 2nd Max	O3 8-hr 4th Max	SO2 99th %ile	SO2 24-hr 2nd Max	SO2 Ann. Mean	PM2.5 98th %ile	PM2.5 Wtd. Mean	PM10 24-hr 2nd Max	PM10 Annual Mean	Lead Max 3-mo Avg
Weston County, WY	0.06	0.058	4	4	1
Bayamon Municipio, PR	2.9	1.2	11	5	1	20	6.5	.	.	.
Caguas Municipio, PR	20.3	19.2
Mayaguez Municipio, PR	0.05	0.038
Ponce Municipio, PR	12.1	2.2	18	6.7	.	.	.

Get detailed information about this report, including column descriptions, at <https://www.epa.gov/outdoor-air-quality-data/about-air-data-reports#con>

AirData reports are produced from a direct query of the AQS Data Mart. The data represent the best and most recent information available to EPA from state agencies. However, some values may be absent due to incomplete reporting, and some values may change due to quality assurance activities. The AQS database is updated by state, local, and tribal organizations who own and submit the data.

Readers are cautioned not to rank order geographic areas based on AirData reports. Air pollution levels measured at a particular monitoring site are not necessarily representative of the air quality for an entire county or urban area.

This report is based on monitor-level summary statistics. Air quality standards for some pollutants (PM2.5 and Pb) allow for combining data from multiple monitors into a site-level summary statistic that can be compared to the standard. In those cases, the site-level statistics may differ from the monitor-level statistics upon which this report is based.

Source: U.S. EPA AirData <<https://www.epa.gov/air-data>>

Generated: June 16, 2023