

99TH GENERAL ASSEMBLY State of Illinois 2015 and 2016 HB1497

Introduced 2/6/2015, by Rep. Bill Mitchell - Sue Scherer

SYNOPSIS AS INTRODUCED:

720 ILCS 570/204

from Ch. 56 1/2, par. 1204

Amends the Illinois Controlled Substances Act. Adds alpha-Pyrrolidinopentiophenone to the list of Schedule I controlled substances.

LRB099 07295 RLC 27401 b

CORRECTIONAL
BUDGET AND
IMPACT NOTE ACT
MAY APPLY

1 AN ACT concerning criminal law.

Be it enacted by the People of the State of Illinois, represented in the General Assembly:

- Section 5. The Illinois Controlled Substances Act is amended by changing Section 204 as follows:
- 6 (720 ILCS 570/204) (from Ch. 56 1/2, par. 1204)
- Sec. 204. (a) The controlled substances listed in this Section are included in Schedule I.
- 9 (b) Unless specifically excepted or unless listed in 10 another schedule, any of the following opiates, including their 11 isomers, esters, ethers, salts, and salts of isomers, esters, 12 and ethers, whenever the existence of such isomers, esters, 13 ethers and salts is possible within the specific chemical
- 14 designation:
- 15 (1) Acetylmethadol;
- 16 (1.1) Acetyl-alpha-methylfentanyl
- 17 (N-[1-(1-methyl-2-phenethyl)-
- 18 4-piperidinyl] -N-phenylacetamide);
- 19 (2) Allylprodine;
- 20 (3) Alphacetylmethadol, except
- 21 levo-alphacetylmethadol (also known as levo-alpha-
- acetylmethadol, levomethadyl acetate, or LAAM);
- 23 (4) Alphameprodine;

```
1
               (5) Alphamethadol;
 2
               (6) Alpha-methylfentanyl
 3
           (N-(1-alpha-methyl-beta-phenyl) ethyl-4-piperidyl)
          propionanilide; 1-(1-methyl-2-phenylethyl)-4-(N-
 4
 5
          propanilido) piperidine;
 6
               (6.1) Alpha-methylthiofentanyl
 7
           (N-[1-methyl-2-(2-thienyl)ethyl-
          4-piperidinyl] -N-phenylpropanamide);
 8
 9
               (7) 1-methyl-4-phenyl-4-propionoxypiperidine (MPPP);
10
               (7.1) PEPAP
11
           (1-(2-phenethyl)-4-phenyl-4-acetoxypiperidine);
12
               (8) Benzethidine;
13
               (9) Betacetylmethadol;
               (9.1) Beta-hydroxyfentanyl
14
15
           (N-[1-(2-hydroxy-2-phenethyl)-
16
          4-piperidinyl] -N-phenylpropanamide);
17
               (10) Betameprodine;
18
               (11) Betamethadol;
               (12) Betaprodine;
19
20
               (13) Clonitazene;
21
               (14) Dextromoramide;
22
               (15) Diampromide;
23
               (16) Diethylthiambutene;
               (17) Difenoxin;
24
25
               (18) Dimenoxadol;
26
               (19) Dimepheptanol;
```

```
1
               (20) Dimethylthiambutene;
 2
               (21) Dioxaphetylbutyrate;
 3
               (22) Dipipanone;
               (23) Ethylmethylthiambutene;
 4
 5
               (24) Etonitazene;
 6
               (25) Etoxeridine;
 7
               (26) Furethidine;
               (27) Hydroxpethidine;
 8
 9
               (28) Ketobemidone:
10
               (29) Levomoramide;
11
               (30) Levophenacylmorphan;
12
               (31) 3-Methylfentanyl
13
           (N-[3-methyl-1-(2-phenylethyl)-
14
           4-piperidyl] -N-phenylpropanamide);
15
               (31.1) 3-Methylthiofentanyl
16
           (N-[(3-methyl-1-(2-thienyl)ethyl-
17
           4-piperidinyl] -N-phenylpropanamide);
18
               (32) Morpheridine;
               (33) Noracymethadol;
19
20
               (34) Norlevorphanol;
21
               (35) Normethadone;
22
               (36) Norpipanone;
23
               (36.1) Para-fluorofentanyl
24
           (N-(4-fluorophenyl)-N-[1-(2-phenethyl)-
25
           4-piperidinyl] propanamide);
               (37) Phenadoxone;
26
```

```
(38) Phenampromide;
1
 2
               (39) Phenomorphan;
               (40) Phenoperidine;
 3
               (41) Piritramide;
 4
 5
               (42) Proheptazine;
               (43) Properidine;
 6
               (44) Propiram;
 7
               (45) Racemoramide;
 8
 9
               (45.1) Thiofentanyl
10
           (N-phenyl-N-[1-(2-thienyl)ethyl-
11
          4-piperidinyl] -propanamide);
12
               (46) Tilidine;
13
               (47) Trimeperidine;
               (48) Beta-hydroxy-3-methylfentanyl (other name:
14
          N-[1-(2-hydroxy-2-phenethyl)-3-methyl-4-piperidinyl]-
15
16
          N-phenylpropanamide).
17
           (c) Unless specifically excepted or unless listed in
18
      another schedule, any of the following opium derivatives, its
      salts, isomers and salts of isomers, whenever the existence of
19
20
      such salts, isomers and salts of isomers is possible within the
21
      specific chemical designation:
22
               (1) Acetorphine;
23
               (2) Acetyldihydrocodeine;
24
               (3) Benzylmorphine;
25
               (4) Codeine methylbromide;
26
               (5) Codeine-N-Oxide;
```

HB1497

```
(6) Cyprenorphine;
1
 2
              (7) Desomorphine;
              (8) Diacetyldihydromorphine (Dihydroheroin);
 3
 4
              (9) Dihydromorphine;
 5
              (10) Drotebanol;
              (11) Etorphine (except hydrochloride salt);
 6
 7
              (12) Heroin;
 8
              (13) Hydromorphinol;
 9
              (14) Methyldesorphine;
10
              (15) Methyldihydromorphine;
11
              (16) Morphine methylbromide;
12
              (17) Morphine methylsulfonate;
13
              (18) Morphine-N-Oxide;
              (19) Myrophine;
14
15
              (20) Nicocodeine;
16
              (21) Nicomorphine;
17
              (22) Normorphine;
18
              (23) Pholcodine:
              (24) Thebacon.
19
20
              Unless specifically excepted or unless listed in
21
                           any material, compound, mixture,
      another
              schedule,
22
      preparation which contains any quantity of the following
23
      hallucinogenic substances, or which contains any of its salts,
24
      isomers and salts of isomers, whenever the existence of such
25
      salts, isomers, and salts of isomers is possible within the
26
      specific chemical designation (for the purposes of this
```

```
paragraph only, the term "isomer"
1
                                              includes the optical,
2
      position and geometric isomers):
 3
               (1) 3,4-methylenedioxyamphetamine
 4
          (alpha-methyl, 3, 4-methylenedioxyphenethylamine,
 5
          methylenedioxyamphetamine, MDA);
               (1.1) Alpha-ethyltryptamine
 6
          (some trade or other names: etryptamine;
 7
          MONASE; alpha-ethyl-1H-indole-3-ethanamine;
 8
 9
          3-(2-aminobutyl)indole; a-ET; and AET);
10
               (2) 3,4-methylenedioxymethamphetamine (MDMA);
11
               (2.1) 3,4-methylenedioxy-N-ethylamphetamine
12
          (also known as: N-ethyl-alpha-methyl-
13
          3,4 (methylenedioxy) Phenethylamine, N-ethyl MDA, MDE,
          and MDEA);
14
15
               (2.2) N-Benzylpiperazine (BZP);
16
               (3) 3-methoxy-4,5-methylenedioxyamphetamine, (MMDA);
17
               (4) 3,4,5-trimethoxyamphetamine (TMA);
18
               (5) (Blank);
19
               (6) Diethyltryptamine (DET);
               (7) Dimethyltryptamine (DMT);
20
               (7.1) 5-Methoxy-diallyltryptamine;
21
22
               (8) 4-methyl-2,5-dimethoxyamphetamine (DOM, STP);
23
               (9) Ibogaine (some trade and other names:
          7-ethyl-6,6,beta,7,8,9,10,12,13-octahydro-2-methoxy-
24
25
          6,9-methano-5H-pyrido [1',2':1,2] azepino [5,4-b]
26
          indole; Tabernanthe iboqa);
```

26

1	(10) Lysergic acid diethylamide;
2	(10.1) Salvinorin A;
3	(10.5) Salvia divinorum (meaning all parts of the plant
4	presently classified botanically as Salvia divinorum,
5	whether growing or not, the seeds thereof, any extract from
6	any part of that plant, and every compound, manufacture,
7	salts, isomers, and salts of isomers whenever the existence
8	of such salts, isomers, and salts of isomers is possible
9	within the specific chemical designation, derivative,
10	mixture, or preparation of that plant, its seeds or
11	extracts);
12	(11) 3,4,5-trimethoxyphenethylamine (Mescaline);
13	(12) Peyote (meaning all parts of the plant presently
14	classified botanically as Lophophora williamsii Lemaire,
15	whether growing or not, the seeds thereof, any extract from
16	any part of that plant, and every compound, manufacture,
17	salts, derivative, mixture, or preparation of that plant,
18	its seeds or extracts);
19	(13) N-ethyl-3-piperidyl benzilate (JB 318);
20	(14) N-methyl-3-piperidyl benzilate;
21	(14.1) N-hydroxy-3,4-methylenedioxyamphetamine
22	(also known as N-hydroxy-alpha-methyl-
23	3,4 (methylenedioxy) phenethylamine and N-hydroxy MDA);
24	(15) Parahexyl; some trade or other names:
25	3-hexyl-1-hydroxy-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-

dibenzo (b,d) pyran; Synhexyl;

```
1
               (16) Psilocybin;
 2
               (17) Psilocyn;
               (18) Alpha-methyltryptamine (AMT);
 3
 4
               (19) 2,5-dimethoxyamphetamine
 5
           (2,5-dimethoxy-alpha-methylphenethylamine; 2,5-DMA);
               (20) 4-bromo-2,5-dimethoxyamphetamine
 6
 7
           (4-bromo-2,5-dimethoxy-alpha-methylphenethylamine;
          4-bromo-2,5-DMA);
 8
 9
               (20.1) 4-Bromo-2,5 dimethoxyphenethylamine.
10
          Some trade or other names: 2-(4-bromo-
11
          2,5-dimethoxyphenyl)-1-aminoethane;
12
          alpha-desmethyl DOB, 2CB, Nexus;
13
               (21) 4-methoxyamphetamine
           (4-methoxy-alpha-methylphenethylamine;
14
15
          paramethoxyamphetamine; PMA);
16
               (22) (Blank);
17
               (23) Ethylamine analog of phencyclidine.
          Some trade or other names:
18
          N-ethyl-1-phenylcyclohexylamine,
19
20
           (1-phenylcyclohexyl) ethylamine,
          N-(1-phenylcyclohexyl) ethylamine, cyclohexamine, PCE;
21
22
               (24) Pyrrolidine analog of phencyclidine. Some trade
          or other names: 1-(1-phenylcyclohexyl) pyrrolidine, PCPy,
23
24
          PHP:
25
               (25) 5-methoxy-3,4-methylenedioxy-amphetamine;
               (26) 2,5-dimethoxy-4-ethylamphetamine
26
```

```
(another name: DOET);
1
 2
               (27) 1-[1-(2-thienyl)cyclohexyl] pyrrolidine
           (another name: TCPy);
 3
 4
               (28) (Blank);
 5
               (29) Thiophene analog of phencyclidine (some trade
          or other names: 1-[1-(2-thienyl)-cyclohexyl]-piperidine;
 6
 7
          2-thienyl analog of phencyclidine; TPCP; TCP);
               (30) Bufotenine (some trade or other names:
 8
 9
          3-(Beta-Dimethylaminoethyl)-5-hydroxyindole;
10
          3-(2-dimethylaminoethyl)-5-indolol;
11
          5-hydroxy-N, N-dimethyltryptamine;
12
          N, N-dimethylserotonin; mappine);
13
               (31) 1-Pentyl-3-(1-naphthoyl)indole
          Some trade or other names: JWH-018;
14
               (32) 1-Butyl-3-(1-naphthoyl)indole
15
16
          Some trade or other names: JWH-073;
17
               (33) 1-[(5-fluoropentyl)-1H-indol-3-yl]-
           (2-iodophenyl) methanone
18
          Some trade or other names: AM-694;
19
               (34) 2-[ (1R,3S)-3-hydroxycyclohexyl]-5-
20
           (2-methyloctan-2-yl)phenol
21
22
          Some trade or other names: CP 47,497
23
          and its C6, C8 and C9 homologs;
               (34.5) 2-[ (1R, 3S) -3-hydroxycyclohexyl] -5-
24
25
           (2-methyloctan-2-yl)phenol), where side chain n=5;
          and homologues where side chain n=4, 6, or 7;
26
```

```
trade or other names: CP 47,497;
 1
               (35) (6aR, 10aR) -9-(hydroxymethyl) -6, 6-dimethyl-3-
 2
           (2-methyloctan-2-yl)-6a,7,
 3
          10,10a-tetrahydrobenzo[c]chromen-1-ol
 4
 5
          Some trade or other names: HU-210;
               (35.5)
                      (6aS, 10aS) - 9 - (hydroxymethyl) - 6, 6 -
 6
 7
          dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-
          tetrahydrobenzo[c]chromen-1-ol, its isomers,
 8
 9
          salts, and salts of isomers; Some trade or other
10
          names: HU-210, Dexanabinol;
11
               (36) Dexanabinol, (6aS, 10aS) -9-(hydroxymethyl) -
12
           6,6-dimethyl-3-(2-methyloctan-2-yl)-
13
          6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol
          Some trade or other names: HU-211;
14
15
               (37) (2-methyl-1-propyl-1H-indol-
16
          3-yl)-1-naphthalenyl-methanone
17
          Some trade or other names: JWH-015;
               (38) 4-methoxynaphthalen-1-yl-
18
           (1-pentylindol-3-yl) methanone
19
          Some trade or other names: JWH-081;
20
21
               (39) 1-Pentyl-3-(4-methyl-1-naphthoyl)indole
22
          Some trade or other names: JWH-122;
23
               (40) 2-(2-methylphenyl)-1-(1-pentyl-
          1H-indol-3-yl)-ethanone
24
25
          Some trade or other names: JWH-251;
26
               (41) 1-(2-cyclohexylethyl)-3-
```

1	(2-methoxyphenylacetyl)indole
2	Some trade or other names: RCS-8, BTW-8 and SR-18;
3	(42) Any compound structurally derived from
4	3-(1-naphthoyl)indole or 1H-indol-3-yl-
5	(1-naphthyl) methane by substitution at the
6	nitrogen atom of the indole ring by alkyl, haloalkyl,
7	alkenyl, cycloalkylmethyl, cycloalkylethyl or
8	2-(4-morpholinyl)ethyl whether or not further
9	substituted in the indole ring to any extent, whether
10	or not substituted in the naphthyl ring to any extent;
11	(43) Any compound structurally derived from
12	3-(1-naphthoyl)pyrrole by substitution at the nitrogen
13	atom of the pyrrole ring by alkyl, haloalkyl, alkenyl,
14	cycloalkylmethyl, cycloalkylethyl or
15	2-(4-morpholinyl)ethyl, whether or not further
16	substituted in the pyrrole ring to any extent, whether
17	or not substituted in the naphthyl ring to any extent;
18	(44) Any compound structurally derived from
19	1-(1-naphthylmethyl)indene by substitution
20	at the 3-position of the indene ring by alkyl, haloalkyl
21	alkenyl, cycloalkylmethyl, cycloalkylethyl or
22	2-(4-morpholinyl)ethyl whether or not further
23	substituted in the indene ring to any extent, whether
24	or not substituted in the naphthyl ring to any extent;
25	(45) Any compound structurally derived from
26	3-phenylacetylindole by substitution at the

1	mitus man at am of the imples wine with alless helpes had
1	nitrogen atom of the indole ring with alkyl, haloalkyl,
2	alkenyl, cycloalkylmethyl, cycloalkylethyl or
3	2-(4-morpholinyl)ethyl, whether or not further
4	substituted in the indole ring to any extent, whether
5	or not substituted in the phenyl ring to any extent;
6	(46) Any compound structurally derived from
7	2-(3-hydroxycyclohexyl)phenol by substitution
8	at the 5-position of the phenolic ring by alkyl,
9	haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl
10	or 2-(4-morpholinyl)ethyl, whether or not substituted
11	in the cyclohexyl ring to any extent;
12	(47) 3,4-Methylenedioxymethcathinone
13	Some trade or other names: Methylone;
14	(48) 3,4-Methyenedioxypyrovalerone
15	Some trade or other names: MDPV;
16	(49) 4-Methylmethcathinone
17	Some trade or other names: Mephedrone;
18	(50) 4-methoxymethcathinone;
19	(51) 4-Fluoromethcathinone;
20	(52) 3-Fluoromethcathinone;
21	(53) 2,5-Dimethoxy-4-(n)-propylthio-
22	phenethylamine;
23	(54) 5-Methoxy-N, N-diisopropyltryptamine;
24	(55) Pentedrone;
25	(56) $4-iodo-2$, $5-dimethoxy-N-((2-methoxy))$
26	phenyl)methyl)-benzeneethanamine

26

(trade or other name: 25I-NBOMe); 1 2 (57) 4-chloro-2,5-dimethoxy-N-[(2-methoxyphenyl) 3 methyl] -benzeneethanamine (trade or other name: 25C-NBOMe); 4 (58) 4-bromo-2,5-dimethoxy-N-[(2-methoxyphenyl) methyl] -benzeneethanamine (trade or other name: 6 7 25B-NBOMe). 8 Unless specifically excepted or unless listed in 9 another schedule, any material, compound, mixture, 10 preparation which contains any quantity of the following 11 substances having a depressant effect on the central nervous 12 system, including its salts, isomers, and salts of isomers 13 whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation: 14 15 (1) mecloqualone; 16 (2) methagualone; and 17 (3) gamma hydroxybutyric acid. Unless specifically excepted or unless listed in 18 19 another schedule, any material, compound, mixture, 20 preparation which contains any quantity of the following substances having a stimulant effect on the central nervous 21 22 system, including its salts, isomers, and salts of isomers: 23 (1) Fenethylline; 24 (2) N-ethylamphetamine; 25 (3) Aminorex (some other names:

2-amino-5-phenyl-2-oxazoline; aminoxaphen;

```
4-5-dihydro-5-phenyl-2-oxazolamine) and its
1
 2
          salts, optical isomers, and salts of optical isomers;
               (4) Methcathinone (some other names:
 3
          2-methylamino-1-phenylpropan-1-one;
 4
 5
          Ephedrone; 2-(methylamino)-propiophenone;
          alpha-(methylamino)propiophenone; N-methylcathinone;
 6
 7
          methycathinone; Monomethylpropion; UR 1431) and its
          salts, optical isomers, and salts of optical isomers;
 8
 9
               (5) Cathinone (some trade or other names:
10
          2-aminopropiophenone; alpha-aminopropiophenone;
11
          2-amino-1-phenyl-propanone; norephedrone);
12
               (6) N, N-dimethylamphetamine (also known as:
13
          N, N-alpha-trimethyl-benzeneethanamine;
14
          N, N-alpha-trimethylphenethylamine);
15
               (7) (+ or -) cis-4-methylaminorex ((+ or -) cis-
16
          4,5-dihydro-4-methyl-4-5-phenyl-2-oxazolamine);
17
               (8) 3,4-Methylenedioxypyrovalerone (MDPV); -
              (9) alpha-Pyrrolidinopentiophenone.
18
           (g) Temporary listing of substances subject to emergency
19
20
      scheduling. Any material, compound, mixture, or preparation
      that contains any quantity of the following substances:
21
22
               (1) N-[1-benzyl-4-piperidyl]-N-phenylpropanamide
23
          (benzylfentanyl), its optical isomers, isomers, salts,
          and salts of isomers;
24
25
               (2) N-[1(2-thienyl)]
26
         methyl-4-piperidyl] -N-phenylpropanamide (thenylfentanyl),
```

- its optical isomers, salts, and salts of isomers.
- 2 (Source: P.A. 97-192, eff. 7-22-11; 97-193, eff. 1-1-12;
- 3 97-194, eff. 7-22-11; 97-334, eff. 1-1-12; 97-813, eff.
- 4 7-13-12; 97-872, eff. 7-31-12; 98-987, eff. 1-1-15.)